

CERTIFICATE OF ANALYSIS

Name of the Product: FERMENTED GLUCOSE GRADE - I

Batch No.	FGG-I/220601	A.R. No.	QC / FGG-I/220601
Batch Qty.	26000 Kgs	Sample Qty	250 g
Date of Mfg.	JUNE - 2022	Packing type	50.0 Kg
Expiry	3 Years	Date of Analysis	05.06.2022

S. No.	PARAMETERS	REQUIREMENT	RESULTS
1	Description	White to slight yellow colour crystalline powder	Complies
2	Identification	A) Comply with Sodium Test B) Comply with Gluconate Test	A) Complies B) Complies
3	Chlorides (%)	Not more than 0.07	Complies
4	Sulphates (%)	Not more than 0.05	Complies
5	Heavy Metals (ppm)	Not more than 10.0	Complies
6	Reducing sugars (%)	Not more than 0.5	Complies
7	Assay (%)	NLT 98.0 to NMT 102.0	99.12
8	Aerobic Plate Count	≤ 1000 cfu / gram	Complies
9	Yeast and Mold Count	≤ 100 cfu (or sfu) / gram	Complies
10	Total Coliforms	Negative	Complies

Note: The above listed product is a Clean label, Non GMO based and is free from gluten and allergens.